

Twin interfaces in NiTi Shape Memory Alloys: Structure and mobility revealed by atomistic simulations

Lorenzo La Rosa¹, Francesco Maresca²

¹ University of Groningen, Netherlands. lorenzo.larosa@im2np.fr

² University of Groningen, Netherlands. f.maresca@rug.nl

Paper ID: 493

[Symposium S16: Advanced modelling techniques: Time and space scale bridging](#)

Abstract

Shape memory alloys (SMAs) possess unique properties that make them suitable for various applications, including energy-efficient actuators, biomedical devices for minimally invasive surgery, and aircraft morphing. Their distinct behaviour involves the recovery of large strains under stress or thermal cycles. It is well-known that microstructural twinning governs this exotic mechanism. However, it is crucial to understand the structure and mobility of twin systems in martensite microstructures to determine why specific twinning systems arise more frequently than others [1]. In this study [2,3], we demonstrate with the prototypical NiTi SMA that twin interface mobility can strongly influence twin emergence. We employ an integrated methodology that combines crystallographic theory [4], state-of-the-art atomistic modelling, topological model [5], and validation using high-resolution transmission-electron micrographs [6]. Our atomistic simulations reveal that twinning stress, rather than interfacial energy, determines the occurrence of twins. Moreover, our simulations address long-standing questions by explaining the atomistic structure and propagation mechanisms of twin interfaces at zero and finite temperatures, which established theories of martensite crystallography cannot explain. A machine learning interatomic potential is also developed and used to verify the accuracy of the predicted interface structure, energetics and mobility [3]. This mechanistic understanding of the role of interface mobility in twin formation can help predict variant selection and inform the design of

SMA with enhanced functional performance. Moreover, our predictions of twin interface energetics and kinetics can inform higher scale models of microstructure formation (e.g. phase-field).

Keywords:

Shape Memory Alloys Molecular Dynamics Twinning

References:

- [1] Nishida, M., Ohgi, H., et al. *Acta Metall. et Mater.*(1995) 43:1219–1227.
- [2] La Rosa, L., and Maresca, F. *Communications Mater.*(2024) 5(1):142.
- [3] Turcan, E., La Rosa, L., Fioravanti, D. and Maresca, F.(2026) *Acta Mater.* 303:121651
- [4] Ball, J.M. and James, R.D. *Arch. Ration. Mech. Anal.*(1987) 100:13–52.
- [5] Pond, R.C. and Hirth, J.P. *Acta Mater* (2018)151:229–242.
- [6] Nishida, M., Yamauchi, K., et al. *Acta Metall. et Mater.* (1995) 43:1229–1234.